


30th Annual NATIVE PLANT & PLUG SALE April 29-30, 2022 (ADVANCE ORDERS ONLY)

At our new location at the
CHESTER FAIRGROUNDS

Check out our webstore and order online at
conservect.org/ctrivercoastal



Connecticut River Coastal Conservation District, Inc.

We are a 501(c)(3) nonprofit organization whose mission is to promote the sound use and management of natural resources. The Annual Plant and Plug Sale is our main fundraising event. All proceeds are used for conservation, environmental education, and technical assistance programs. At our sale this year we are pleased to offer a large and varied collection of Connecticut native plants. See inside for descriptions of our great selections, and make sure to pre-order. There will be no extra plants for purchase at the sale due to our COVID-19 precautions.

**NEW FOR 2022 - ECOREGIONAL SHRUBS & TREES!
PLUS, SPRING EPHEMERALS AND A SELECTION OF PERENNIAL
PLUGS AVAILABLE ON OUR WEBSTORE ONLY AT
CONSERVECT.ORG/CTRIVERCOASTAL**

PICK-UP DATES & ORDERING INFORMATION

Connecticut River Coastal Conservation District, Inc.
deKoven House, 27 Washington Street
Middletown, CT 06457
Phone: (860) 346-3282
www.conservect.org/ctrivercoastal

ORDERS DUE: April 1, 2022

PICK-UP DATES: Friday, April 29, 2022, 9:30 am - 6:00 pm

Saturday, April 30, 2022, 9:30 am - 5:00 pm

- ❖ **LOCATION: Chester Fairgrounds, Kirtland Terrace, Chester**
Directions: Take Route 9 to Exit 6. Travel east on Route 148 to Route 154. Take Route 154 north to Kirtland Terrace on left.
- ❖ Pay by check with your order, or by credit card on webstore. Sorry, no refunds.
- ❖ Order early to ensure best selection.
- ❖ We make every effort to provide you with the plants of your choice - if we need to make a substitution we will contact you to confirm.
- ❖ Questions? Phone us at (860) 346-3282 or email ctrivercoastal@conservect.org
- ❖ A reminder with directions and pick up times will be sent before the sale.
- ❖ Plants are healthy and viable when picked up on sale days. If you cannot pick up your plants during the sale, we will care for them, but cannot guarantee their survival.

Go to our webstore, and also learn
more about sale offerings at
CONSERVECT.ORG/CTRIVERCOASTAL
Photos, descriptions, links to
informative websites and more!

Think Local! Plant Natives! CRCCD's 30th Annual Plant and Plug Sale

We are pleased to offer a large collection of excellent native plants, edibles, and pollinator-friendly choices. For plant pictures, detailed descriptions, and additional shrubs and perennials, visit our webstore at CONSERVECT.ORG/CTRIVERCOASTAL

Common Name Botanical Name 'cultivar'	Size at maturity	Exposure/ Habitat	Bloom Color/ Time	Description
SHRUBS/TREES - New this year—Ecoregional shrubs/trees. Grown from seeds collected from local sources, these natives evolved here, are better adapted to the local environment, and help preserve local pollinators and other wildlife. Plus, our grower rarely uses pesticides—a big win for pollinators.				
American Hazelnut <i>Corylus americana</i>	10-15' t 8-13' w	Sun to PS; Moist to Dry	Catkins; Early Spring	A wildlife magnet! Multi-stemmed shrub with yellow to orange and red fall foliage. Produces tasty nuts. Provides cover and nesting for wildlife. CT E
American Hornbeam <i>Carpinus caroliniana</i> (limited)	20-35' t & w	PS to Shade; Moist to Wet	Catkins; Early Spring	Showy bark! At maturity, blue-gray bark has a muscle-like appearance. Multi-colored fall foliage. Attracts birds, small mammals, and butterflies. CT RG P
Bayberry <i>Morella caroliniensis</i> (syn. <i>Myrica pensylvanica</i>)	5-10' t & w	Sun to PS; Avg. to Dry	Yellow (inconspicuous); Summer	Semi-evergreen with glossy, fragrant leaves and waxy gray berries. Burgundy to bronze fall foliage. Good for massing, hedges. Provides food and cover for birds. Tolerates drought, salt spray and sandy, rocky soil. CT DR RG P
Black Chokeberry <i>Aronia melanocarpa</i>	3-6' t 3-5' w	Sun to PS; Avg. to Moist	White; May	Compact shrub with glossy dark leaves; showy, fragrant flowers; edible black-purple fruits; and deep red fall foliage. Tolerates salt, poor soil. CT E DR P
Buttonbush <i>Cephalanthus occidentalis</i>	6-12' t 4-8' w	Sun to PS; Moist to Wet	White; Early Summer	Showy shrub with fragrant, long-lasting flowers clustered in dense globes. Attracts bees, butterflies; tiny nutlets provide food for waterfowl. CT RG P
Eastern Red Cedar <i>Juniperus virginiana</i>	40-50'	Sun; Avg. to Dry	Non-flowering	Fast growing pyramid-shaped evergreen with flat needles. Exfoliating bark is of ornamental interest. Attracts birds. Good for screen or hedge. CT DR
Honeysuckle, Trumpet <i>Lonicera sempervirens</i> 'Alabama Crimson' (limited)	3-20' t 3-6' w	Sun to PS; Avg. to Moist	Deep red; Summer	Deciduous vine with blue-green leaves, showy tubular flowers, and glossy red berries. Attracts songbirds, hummingbirds, butterflies. Good choice for a trellis, fence or arbor in a naturalized area. CT DR P
Inkberry <i>Ilex glabra</i>	3-5' t 4-6' w	Sun to PS; Avg. to Wet	White; May to June	Compact evergreen with glossy dark green foliage. Ideal for low hedge, grouping. Attracts wildlife. Tolerates sandy soil, wet soil, salt, drought. CT DR RG
Mountain Laurel <i>Kalmia latifolia</i> (limited)	5-20' t & w	Sun to PS; Dry to Moist	Pink-white; May to July	The CT State Flower! Slow-growing, hardy evergreen with striking showy, flower clusters. Good for massing, borders, wooded edge. CT P
Mountain Laurel <i>Kalmia latifolia</i> 'Tiddlywinks' (limited)	5-8' t 6-9' w	Sun to PS; Dry to Moist	Pink-tinged; May to June	The CT State Flower in compact form. Hardy evergreen with small leaves and showy flower clusters. Good for massing, borders. CT P
Nannyberry <i>Viburnum lentago</i> (limited)	14-20' t 6-12' w	Sun to PS; Avg. to Moist	White; May	Hardy and easy to grow as shrub or small tree. Showy flower clusters. Blue-black fruits persist through winter. Wine-red fall color. Attracts bees, butterflies, songbirds, gamebirds. Good for borders, hedges, naturalizing. CT RG P
New Jersey Tea <i>Ceanothus americanus</i>	3-4' t & w	Sun; Avg. to Dry	White; May to June	Compact, spreading shrub with clusters of fragrant flowers that yield small black fruits. Good for wooded edge, borders, and massing. Attracts butterflies and hummingbirds. Use leaves for tea. CT E DR P
Northern Arrowwood <i>Viburnum dentatum</i>	6-12' t & w	Sun to PS; Avg. to Moist	White; Late May	Great naturalizer! Showy flowers, profuse deep blue fruits, and yellow to reddish-purple fall foliage. Attracts birds, butterflies. CT RG P
Red Osier Dogwood <i>Swida sericea</i>	6-9' t 8-12' w	Sun to PS; Moist	White; May to June	Stunning red stems in winter; good fall color. Fragrant flowers give way to showy white berries. Hardy and adaptable. Great for massing. CT DR RG P
Rhodora (a.k.a. Canada Rosebay) <i>Rhododendron canadense</i> (limited)	to 3' t	Sun to PS; Moist to Wet	Rose-purple; April to May	Not your ordinary Rhododendron! Deciduous, with showy spring flower clusters emerging before foliage. Attracts varied early pollinators. CT DR P
Shadbush Serviceberry <i>Amelanchier canadensis</i>	6-20' t 6-8' w	Sun to PS; Dry to Moist	White; March to April	Clumping form. Fragrant flowers and edible, small apple-like fruits. Orange to rusty-red fall color. Attracts birds, bees, and butterflies. CT E DR RG P
Summersweet <i>Clethra alnifolia</i>	3-10' t 4-6' w	Sun to PS; Avg. to Wet	White; Summer	Showy, fragrant flower clusters. Glossy leaves. Yellow fall color. Good for low spots, coastal gardens, erosion control. Tolerates salt spray. CT DR RG P
Winterberry (female/male) <i>Ilex verticillata</i> 'Red Sprite'/'Male'	3-9' t & w (f) to 12' t & w	Sun to PS; Avg. to Wet	White; June	Deciduous holly good for naturalizing. Persistent bright red berry clusters on females provide visual interest and wildlife food in winter. CT DR RG
EDIBLES (BERRIES, ETC.)				
Asparagus, <i>Asparagus officinalis</i> 'Mary Washington'	3-4' t 1-1.5' w	Sun; Well-drained		Heirloom variety! Succulent spears with excellent flavor; great for freezing. Productive, winter hardy, heat tolerant, resistant to rust. Sold in 10-packs. E
Black Elderberry <i>Sambucus nigra</i> ssp. <i>canadensis</i>	5-12' t & w	Sun to PS; Avg. to Wet	Creamy white; June to July	Fast growing and colony forming. Profuse fragrant flowers provide food for pollinators. Purple-black fruit attracts birds and other wildlife. Great for jams, pies, syrup, wine. Two or more recommended for best fruiting. CT E
Black Raspberry <i>Rubus occidentalis</i> 'Jewel' (plugs)	3-4' t 3-5' w	Sun to PS; Moist	White; Summer	High-yielding mid-summer bearer with large, glossy black fruit. Good for jams and desserts. Winter hardy. Sold in bundles of 5 plugs. E P
Blueberry, Highbush (sets of 3) <i>Vaccinium corymbosum</i>	6-12' t & w	Sun to PS; Moist	Pink-white; Spring to Summer	Abundant berry producer! Foliage turns yellow-red-burgundy in fall, bark is red or yellow-green in winter. Sold in sets of 3, one of each variety (early, mid-season, late blooming), to lengthen harvest season. CT E RG P
Blueberry, Lowbush <i>Vaccinium angustifolium</i>	12" t 3' w	Sun to PS; Moist	White; May	Showy flowers produce small flavorful berries mid-summer. Glossy leaves turn red-burgundy in fall. Great for naturalizing. CT E RG P
Cranberry <i>Vaccinium macrocarpon</i> 'Pilgrim'	6-12" t 3-4' w	Sun to PS; Moist	Light pink; Mid-summer	Grow delicious cranberries! Spreading, low-growing evergreen with delicate flowers, copious fall fruit. Attracts birds, butterflies. Very hardy. CT E RG P
Raspberry <i>Rubus idaeus</i> 'Prelude'	3-4' t & w	Sun to PS; Moist	White; Spring & Fall	High-yielding bearer with fruits ripening in June. Produces a smaller crop in the fall. Winter hardy and vigorous. Sold in bundles of 5 canes. CT E P
Strawberries <i>Fragaria ananassa</i> 'Jewel'	6-10" t 8-16" w	Sun; Moist	White; May	Compact grower with excellent flavor. Great for fresh eating or freezing. Disease-resistant, cold hardy. Ripens in June. Sold in bundles of 25. E P

Common Name Botanical Name 'cultivar'	Size at maturity	Exposure/ Habitat	Bloom Color/ Time	Description
GROUND COVERS (SHRUBS)				
Bearberry <i>Arctostaphylos uva-ursi</i>	6-12" t 3-6' w	Sun; Avg. to Dry	White-pink; Spring	Trailing evergreen with glossy leaves, nodding bell-shaped flowers, and red berries. Bronze fall color. Attracts birds. Tolerates salt, drought. CT DR P
Creeping Juniper <i>Juniperus horizontalis</i> 'Bar Harbor'	8-12" t 6-8' w	Sun to PS; Dry to Avg.	Non-flowering	Easy-to-grow evergreen with trailing branches. Soft textured blue-green foliage turns purplish in winter. Tolerates salt, drought, wind. CT DR
Fragrant Sumac <i>Rhus aromatica</i> 'Gro-Low'	1-2' t 5-8' w	Sun to PS; Dry to Avg.	Yellow; April	Fast, compact grower. Stunning red-orange fall foliage, fragrant flowers, red fruits. Attracts birds, butterflies. Tolerates poor soils, drought. CT P

GROUND COVERS (PERENNIALS) - All perennial groundcovers were not treated with pesticides according to our grower				
Field Pussytoes <i>Antennaria neglecta</i>	6-12" t & w	Sun to PS; Avg. to Dry	White; Spring	Great for dry, sunny sites. Velvety basal leaves; tufted flowers look like tiny cats paws, bloom on stalks. Attracts butterflies. Drought tolerant. CT DR P
Golden Groundsel <i>Packera aurea</i> (syn. <i>Senecio aureus</i>)	1-3' t 6-18" w	Sun to Shade; Avg. to Moist	Golden yellow; May to June	Great naturalizer for moist, shady areas. Showy clusters of daisy-like flowers on stalks rising from clumps of heart-shaped basal leaves. CT DR P
Partridgeberry <i>Mitchella repens</i>	to 2" t to 12' w	PS to Shade; Avg. to Moist	White; Spring	Evergreen, trailing, woody vine. Dark-green glossy foliage and persistent red berries. Great for woodland gardens with acidic soil. CT DR P
Wild Ginger <i>Asarum canadense</i>	6-12" t 12-18" w	PS to Shade; Avg. to Moist	Purple-brown; Spring	A great naturalizer! Bell-shaped flowers hide beneath velvety green heart-shaped leaves. Great for woodland gardens. Provides wildlife cover. CT DR

FLOWERING PERENNIALS - All flowering perennials were not treated with pesticides according to our grower				
Bird's-foot Violet <i>Viola pedata</i>	4-10" t & w	Sun to PS Avg. to Dry	Purple; April-June	Showy blooms rise from clumps of deeply divided bird's-foot-shaped leaves. Self-seeder. Well-drained soils a must! Great for rock gardens. CT DR P
Bloodroot <i>Sanguinaria canadensis</i>	6-10" t 4-6" w	PS to Shade; Avg. to Moist	White; Early Spring	Showy spring ephemeral! Single flower stalk wrapped by deeply-scalloped gray-green leaf that unfurls as flower blooms. Flowers open in sun/close at night. Great for naturalizing. Tolerates drought, dry soil. CT DR P
Cardinal Flower <i>Lobelia cardinalis</i>	2-3' t 8-18" w	Sun to PS; Moist-Wet	Red; July to Sept.	Dense clumps with spikes of showy, profuse tubular flowers. Attracts butterflies, hummingbirds, songbirds. Great for massing. CT DR RG P
Dutchmen's Breeches <i>Dicentra cucullaria</i>	6-12" t & w	PS to Shade; Moist	White/yellow; Early spring	Graceful spring ephemeral with fern-like leaves and clusters of waxy flowers that resemble upside down bloomers. Bumblebee pollinated. CT DR P
Dwarf Hairy Beardtongue <i>Penstemon hirsutus</i> var. <i>pygmaeus</i>	6-8" t & w	Sun to PS; Avg. to Dry	Lavender; Late spring	Dense mound of dark green leaves with spikes of profuse tubular flowers. Attracts hummingbirds, butterflies, bees. Drought tolerant. CT DR P
Golden Alexander <i>Zizia aurea</i>	1-3' t 8-18" w	Sun to PS; Avg. to Moist	Yellow; April-June	Flat-topped clusters of tiny flowers atop stems bearing dissected leaves. Attracts butterflies, bees, flies. Tolerates summer drought. CT RG P
Ironweed <i>Vernonia noveboracensis</i>	4-6' t 2-4' w	Sun; Avg. to Wet	Red-Purple; Summer-Fall	Excellent upright form! Showy flowers atop rigid stems attract many pollinators. Good in low areas, border background. Great cut flower. CT DR RG P
Virginia Spring Beauty <i>Claytonia virginica</i>	6-9" t & w	PS; Avg. to Moist	Light Pink; Early spring	Delicate spring ephemeral with grass-like leaves and loose flower clusters. Can produce large spectacular patches. Tolerates a variety of soils. CT P

FERNS/GRASSES/SEDGES - All ferns/grasses/sedges were not treated with pesticides according to our grower				
Appalachian Sedge <i>Carex appalachia</i>	to 12" t to 8" w	PS to Shade; Avg. to Dry	Non-flowering	Clump-forming, with arching thread-like leaves. When planted en masse foliage moves like swirling water. Thrives under oaks, conifers. CT DR
Cinnamon Fern <i>Osmundastrum cinnamomeum</i>	2-6' t 1-3' w	PS to Shade; Moist -Wet	Non-flowering	Clump-forming, with cinnamon-colored fertile fronds surrounded by yellow-green sterile fronds. Great for naturalizing in wetter areas. CT DR RG
New York Fern <i>Parathelypteris noveboracensis</i>	1-2' t 1-3' w	PS to Shade Avg. to Moist	Non-flowering	Spreads to form colonies, Yellow-green fronds taper at both ends. Great for shady borders, woodland gardens, massing along streams/ponds. CT DR
Northern Maidenhair Fern <i>Adiantum pedatum</i>	12-30" t 12-18" w	PS to Shade; Moist	Non-flowering	Spreads to form colonies. Graceful fan-shaped fronds on shiny black stems. Good for shady hillsides, borders and rock gardens. CT DR RG
Prairie Dropseed (grass) <i>Sporobolus heterolepis</i>	2-3' t & w	Sun; Avg. to Dry	Pink-brown; Late Summer	Clump-forming, with arching hair-like leaves, fragrant flowers, copper fall color. Great for hot dry areas, rocky soils, slopes, foundations. CT DR
Switch Grass <i>Panicum virgatum</i>	3-6' t 2-3' w	Sun; Avg. to Moist	Pinkish; Late Summer	Clump-forming, with arching foliage topped with airy flower clusters. Yellow fall color. Attracts birds. Tolerates drought, some flooding. CT DR RG

CONIFER PLUGS - This year we are again offering plugs rather than bareroot seedlings. Rooted in soil, plugs do not need to be planted immediately, have less transplant shock, and have a greater survival rate than bareroot seedlings. Both evergreens provide shelter for songbirds and small mammals.

Common Name Botanical Name	Size at maturity	Exposure/ Habitat	Description
Balsam Fir (3 yr, 5") <i>Abies balsamea</i>	40-70' t	Sun to PS; Avg. to Moist	Slow-growing (to 12" per year). Natural conical shape. Short, soft, lustrous dark-green, fragrant needles. Excellent Christmas tree, ornamental or for screen/windbreak. CT
White Spruce (3 yr, 5") <i>Picea glauca</i>	40-60' t	Sun; Moist	Moderate to rapid grower (13-24" per year). Very hardy and compact, with pyramidal shape and pale blue-green needles. Good for Christmas tree or as ornamental. CT DR

THE ORGANIC LAWN CARE MANUAL by Paul Tukey Extensive guide full of tips to establish a lush, green lawn, safe for people, pets and our earth.

FERTILIZER TABLETS Slow release 2-year fertilizer for evergreen and hardwood seedlings, trees and shrubs. Use one tablet per plant.

KEY	EXPOSURE	HABITAT	🌿 = Ecoregional plant E = Edible fruit/plant/flower CT = Connecticut native species DR = Deer resistant P = Pollinator plant RG = Good choice for Rain Garden	♦ Planting info. provided at pick-up. ♦ Select plants based on exposure and habitat requirements. ♦ The District cannot guarantee plant survival.
	Sun = 6 hours direct sun per day Part sun (PS) = a few hours of direct sun Shade = good or low light, little/no direct sun, dappled sun	Dry = dry, well-drained Average = avg. moisture, well-drained Moist = rich fertile, well-drained Wet = moist most of year		

CRCCD 2022 PLANT & PLUG SALE ORDER FORM

SHRUBS, GROUND COVERS, EDIBLES	QUANTITY	TOTAL \$
AMERICAN HAZELNUT	1 gal. \$20	
AMERICAN HORNBEAM	1 gal. \$24	
ASPARAGUS (bare root)	10 crowns \$12	
BAYBERRY	1 gal. \$20	
BEARBERRY	1 gal. \$18	
BLACK CHOKEBERRY	1 gal. \$18	
BLACK ELDERBERRY	1 gal. \$20	
BLACK RASPBERRY (plugs)	5 plugs \$26	
BLUEBERRY, highbush	1 gal. each/set of 3 \$45	
BLUEBERRY, lowbush	1 gal. \$20	
BUTTONBUSH	1 gal. \$20	
CRANBERRY	1 gal. \$24	
CREEPING JUNIPER	1 gal. \$18	
EASTERN RED CEDAR	1 gal. \$24	
FRAGRANT SUMAC	2 gal. \$34	
HONEYSUCKLE, Trumpet	1 gal. \$16	
INKBERRY	1 gal. \$20	
MOUNTAIN LAUREL	2 gal. \$34	
MOUNTAIN LAUREL 'Tiddlywinks'	2 gal. \$34	
NANNYBERRY	1 gal. \$18	
NEW JERSEY TEA	1 gal. \$18	
NORTHERN ARROWWOOD	1 gal. \$18	
RASPBERRY (bare root)	5 canes \$20	
RED-OSIER DOGWOOD	1 gal. \$20	
RHODORA	2 gal. \$32	
SHADBUSH SERVICEBERRY	1 gal. \$18	
STRAWBERRIES (bare root)	25 plants \$10	
SUMMERSWEET	1 gal. \$20	
WINTERBERRY, female	2 gal. \$30	
WINTERBERRY, male	2 gal. \$30	
TOTAL Shrubs, Ground Covers, Edibles		

PERENNIAL FLOWERS	QUANTITY	TOTAL \$
BIRD'S-FOOT VIOLET	1 qt \$6	
BLOODROOT	1 qt \$6	
DUTCHMEN'S BREECHES	1 qt \$6	
DWARF HAIRY BEARDTONGUE	1 qt \$6	
FIELD PUSSYTOES	1 qt \$6	
GOLDEN GROUNDSEL	1 qt \$6	
PARTRIDGEBERRY	1 qt \$6	
VIRGINIA SPRING BEAUTY	1 qt \$6	
WILD GINGER	1 qt \$6	
CARDINAL FLOWER	5-pt \$10	
GOLDEN ALEXANDER	5-pt \$10	
IRONWEED	5-pt \$10	
TOTAL Perennial Flowers & Herbs		

FERNs, GRASSES & SEDGES	QUANTITY	TOTAL \$
CINNAMON FERN	5-pt \$10	
MAIDENHAIR FERN	5-pt \$10	
NEW YORK FERN	5-pt \$10	
PRAIRIE DROPSEED	5-pt \$10	
SWITCHGRASS	5-pt \$10	
APPALACHIAN SEDGE	5-pt \$10	
TOTAL Ferns, Grasses, Sedges		

EVERGREEN TREE PLUGS (sold individually)	QUANTITY (# of Plugs)
BALSAM FIR (Native), 3-yr.	
WHITE SPRUCE (Native), 3-yr.	
TOTAL # of Plugs	
<i>Price per plug: \$2.00 each</i>	
TOTAL \$ Evergreen Tree Plugs	

FERTILIZER/MANUAL	QUANTITY	TOTAL \$
FERTILIZER TABS	Bag of 25	\$5
LAWN CARE MANUAL		\$15

**Order pick-up is at the CHESTER FAIRGROUNDS
again this year! Due to our COVID-19
precautions the sale is pre-order only.**

Cost of Order: \$ _____ (total all boxes)

Round up for Conservation!!! \$ _____
(Donations to CRCCD are tax-deductible)

TOTAL Amount Enclosed: \$ _____

NAME _____

ADDRESS _____

TOWN _____ STATE _____ ZIP _____

(H#) _____ (cell#) _____

EMAIL _____

ORDER PICK-UP: Due to our COVID-19 precautions, pick-up will be curbside, and we will be contacting you to schedule a pick-up date and time.

Make check payable and send this order form to:
CT River Coastal Conservation District (CRCCD)
27 Washington Street, deKoven House
Middletown, CT 06457

Orders MUST be received by April 1, 2022



**Please send in this whole order form,
and keep a copy for your records!**